
Empower people living with medical conditions and senior adults

Your guide to elevating nutritional care with our Premix Solutions



Together, we can elevate medical nutrition solutions to *truly* champion the health of people living with medical conditions and senior adults. This takes more than ingredients. It takes a consumer-first approach powered by advanced Premix Solutions and the support of an end-to-end partner.





The right nutritional care can help those in need recover, take back independence and live life to the fullest.

For many of these individuals, medical nutrition has a special, and often critical, role to play – providing the essential nutrients they need to balance nutritional shortfalls, to support therapeutic outcomes and enhance quality of life.

And the need for tailored medical nutrition support – especially products designed for specific conditions or disease states – is growing. This demand is driven by the aging population, increasing prevalence of chronic diseases and growing awareness of the benefits of nutrition for healthy aging and disease management. Coupled with advancements in nutritional science and technology, the market is ripe for innovation.

Who can benefit from medical nutrition?



1

Individuals in need of targeted nutritional care

Medical nutrition is an instrumental tool in helping people to stay healthy and independent for longer – including aiding faster recovery from illness. This could help to lower healthcare costs and hospitalizations associated with the ageing population.

2

Senior adults suffering from decreased appetite

Defined as the loss of appetite due to the aging process, 'anorexia of aging' is a major contributor to undernutrition and adverse health outcomes in the senior population. It affects around 62% of hospital populations and 85% of adults in care homes, underscoring the need for nutritional management.¹

3

Individuals undergoing surgery

Malnutrition is a serious risk factor for surgical complications, leading to slower recovery, longer hospital stays, increased infection vulnerability and even higher mortality rates. Yet, only one in five individuals undergo nutrition screening or nutrition intervention before operation.²

4

People suffering from disease-related malnutrition

Disease-related malnutrition arises from specific nutritional needs during treatment or during the course of a disease. While prevalent among senior adults, it can affect any person living with a medical condition.

Transforming care with condition-specific nutritional solutions

Anyone at any stage of their life may require specialized nutritional support.

With rising demand for medical nutrition, manufacturers face increasing pressure to push the boundaries of innovation and create transformative solutions that make a real difference to the care of those living with medical conditions and senior adults.

This presents opportunities to tackle common challenges in medical nutrition formulation, like poor palatability, low compliance and the need for more targeted products tailored to specific therapeutic areas. By addressing these issues, we can significantly elevate consumer experiences and adherence to nutritional care plans.





Personal preferences and dietary restrictions

Individual preferences, cultural dietary habits and food allergies or intolerances play a significant role in the acceptance of medical nutrition products. More inclusive solutions that cater to these factors can make medical nutrition more acceptable.

Reimagine medical nutrition with human-centric and condition-specific innovation

Adopting a human-centric and condition-specific approach to innovation can make a profound difference to medical nutrition acceptance and compliance. This strategy enables manufacturers to develop more targeted solutions that address the special nutritional needs and deficiencies associated with specific disease states, giving those living with medical conditions and senior adults the best possible nutritional management and supporting positive therapeutic outcomes.

Palatability


Some formulations – particularly those high in protein – can have an undesirable taste, impacting patients' compliance with medical nutrition across healthcare settings. Texture and mouthfeel can also be a barrier, especially for people with difficulties swallowing, like senior adults. Achieving smooth and consistent textures can assist but may be technically challenging. Offering a variety of flavors and formats can help to prevent taste fatigue and support product acceptance.

Compliance

Ensuring that people living with medical conditions and senior adults comply with nutritional care plans is critical. However, this can be an obstacle if a product is difficult to incorporate into daily routines, requires frequent consumption or must be taken in large quantities. Closely considering product format, portion sizes, packaging and ease of preparation is crucial for improving compliance.

Taking a condition-specific approach helps to

- ✓ enhance efficacy
- optimize health outcomes
- elevate human-centered care
- ✓ increase engagement with nutrition plans
- reduce healthcare costs
- ✓ support healthy longevity





Taking a condition-specific approach starts with ingredients.

We've developed evidence-based premix concepts to provide a snapshot of how you can support the unique nutritional needs of people living with medical conditions and senior adults across various therapeutic areas. Rooted in market insights and the latest nutritional science, these premixes combine specific ingredients to address the special nutritional requirements of each disease state.

Sarcopenia

Sarcopenia is a progressive skeletal muscle disorder involving accelerated loss of muscle mass, strength and function – and a major public health concern in senior adults and clinical settings.^{3,4} We've developed customized premixes combining protein, amino acids, omega–3 fatty acids and several vitamins to support improved muscle strength and mobility in individuals with the disease.⁵⁻¹⁰

Perioperative care

Nutritional interventions can help reduce the risk of surgical complications. We have developed a concept that provides nutrients to help manage inflammation during this time, thereby enhancing surgical outcomes and wound healing.¹¹⁻¹⁴

Cancer cachexia

Cancer cachexia is a prevalent wasting condition in patients with cancer that directly causes more than 20% of cancer-related deaths.¹⁵ Medical nutrition solutions containing nutrients to support muscle mass, immune function, wound healing, recovery and mental wellbeing can elevate the quality of life of these individuals. 16-20

Cognitive impairment

Cognitive performance and mental wellbeing are among the greatest medical challenges facing the world's aging population. That's why we've created a concept that targets the maintenance of normal brain health.²¹⁻²⁹

Immune health in senior adults

Optimal nutrition is critical for the proper function of immune cells. Delivering the right nutritional care in individuals that are vulnerable to infections, like senior adults, can support immune function and help them stay healthier for longer.

Here, ingredients that support immunological performance are critical.30

Chronic wounds

To support more effective wound healing, proteins, amino acids, minerals and vitamins can be utilized to promote tissue and immune health, improve skin barrier function and blood flow.³¹⁻⁴⁵ Our concept is intended for the nutritional management of patients with diabetic foot ulcers, supporting wound healing by delivering nutrients for healthy skin and muscles.

Inspired by our concepts?

Together, we can develop customized premixes tailored to your medical nutrition formulation and the needs of your end consumers.

Connect with one of our experts to help integrate our science-backed premix concepts into your medical nutrition products.

We can create tailored blends to address the needs of specific consumer groups or people living with medical conditions. As the only vertically integrated vitamin and premix manufacturer globally, we offer superior reliability and sustainability of supply.

This is powered by;

production

state-of-the-art premix facilities strategically located around the world



Unlock next level medical nutrition with advanced Premix Solutions

It takes more than premixes to create lifechanging and life-saving medical nutrition solutions that put the consumer first. That's why we go beyond ingredients.

We are an end-to-end solutions provider that can support you along the product development journey. Combining high quality products, customized solutions and expert services, we've created an ecosystem designed to elevate your success in the medical nutrition marketplace with breakthrough products.

Elevate your product development process

dsm-firmenich is your end-to-end solutions provider and innovation partner in the medical nutrition market.

As your Premix Partner, we can navigate a seamless product development process – together. Explore how our customized Premix Solutions can guide you through pitfalls before they even happen; getting you to market faster, more efficiently and with enduring success.



Go beyond the blend with material conditioning

We're constantly testing, innovating and improving to provide the solutions necessary for you to stay one step ahead in the medical nutrition market.

Our expert knowledge coupled with Advanced Powder technologies enables us to address several development hurdles, from stabilization to bioavailability, shelf-life, taste and more. By enhancing the quality and effectiveness of your medical nutrition products, you can improve compliance and contribute to better health outcomes.



Unlock your product's potential. Supercharge the functional performance of your premix powders with our cutting-edge technologies:

- Granulation
- **✓** Encapsulation

✓ Milling

- **✓** Beadlets
- Spray drying
- **✓** Titurations

Tap into infinite flavor possibilities and sensorial experiences

Our world-renowned taste experts can help you design bespoke taste profiles that support more consumercentric medical nutrition innovation. Beyond flavors, we are also dedicated to helping address the unique sensory requirements of people living with certain medical conditions via cutting-edge taste solutions.

- ✓ Taste neutral formulations and blends
- ✓ Taste maskers and blockers
- ✓ Taste positive solutions
- Sugar reductions and enhancers
- ✓ Infinite flavor combinations and flavor formulations

100+
flavorists

130,000 flavors

sensory facilities worldwide





Together elevating health

Elevating global health takes powerful partnerships. Together, we can continue to push new boundaries in the medical nutrition space – with the needs of people living with medical conditions and senior adults always front of mind.

When you partner with dsm-firmenich, you get more than ingredients.

You get a purpose-led partner that brings progress to life. An expert that delves deeper into consumer insights to understand the complex needs, barriers and solutions to the best nutritional care. And a company that prioritizes sustainability.

Want to elevate your medical nutrition offering to create impactful change to nutritional care?

Partner with dsm-firmenich to tailor-make your next medical nutrition product.

Connect with us

References

- Shimokata et al. Chapter 2 epidemiology of sarcopenia Geriatrics & Gerontology International, 2018:18(S1)
- Wischmeyer et al. American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Nutrition Screening and Therapy Within a Surgical Enhanced Recovery Pathway. Anesth Analg. 2018;126(6):1883–1895.
- 3. Hida et al. Managing sarcopenia and its related fractures to improve quality of life in geriatric populations. Aging and Disease, 2013;5(4):226–237.
- 4. Shafiee et al. Prevalence of sarcopenia in the world: a systematic review and meta-analysis of general population studies. Journal of Diabetes & Metabolic Disorders, 2017;16(21).
- Cermac et al. Protein supplementation augments the adaptive response of skeletal muscle to resistance-type exercise training: a meta-analysis. The American Journal of Clinical Nutrition, 2012;96(6):1454–1464.
- Kim. Interventions for frailty and sarcopenia in community-dwelling elderly women. Nihon Ronen Igakkai Zasshi, 2012;49(6):726–730.
- Muir et al. Effect of vitamin D supplementation on muscle strength, gait and balance in older adults: a systematic review and meta-analysis. J Am Geriatr Soc., 2011; 59(12):2291–2300.
- Beaudart et al. The effects of vitamin D on skeletal muscle strength, muscle mass and muscle power: a systematic review and meta-analysis of randomized controlled trails. J Clin Endocrinol Metab., 2014;99(11):4336–4345.
- Bo et al. A high whey protein, vitamin D and E supplement preserves muscle mass, strength and quality of life in sarcopenic older adults: a double-blind randomized controlled trial. Clinical Nutrition, 2019;38(1):159–164.
- Bauer et al. Effects of a vitamin D and leucine-enriched whey protein nutritional supplement on measures of sarcopenia in older adults, the PROVIDE study: a randomized, double-blind, placebo-controlled trial. J Am Med Dir Assoc., 2015;16(9):740-747.
- 11. Pollock. Immune-enhancing nutrition in surgical and critical care. Mo Med., 2012;109(5): 388–392
- 12. Drover et al. Perioperative use of arginine-supplemented diets: a systematic review of evidence. J Am Coll Surg., 2011;212:385–399.
- 13. Evans et al. Nutrition optimization prior to surgery. Nutrition in Clinical Practice, 2013;29(1).
- Van Stijn et al. Antioxidant enriched enteral nutrition and oxidative stress after major gastrointestinal tract surgery. World J Gastroenteral, 2008;14(45):6960–6969.
- Porporato et al. Understanding cachexia as a cancer metabolism syndrome. Oncogenesis, 2016:5:e200.
- Laviano et al. Branched-chain amino acids: the best compromise to achieve anabolism? Curr Opin Clin Nutr Metab Care, 2005;8(4):408–14.
- Prado et al. Nutrition interventions to treat low muscle mass in cancer. J Cachexia Sarcopenia Muscle, 2020;11(2):366–380.
- Marshall et al. EPA and DHA omega 3s as a potential adjunct to chemotherapy in the treatment of cancer. AgroFOOD Industry Hi Tech, 2017;28(2).
- Ströhle et al. Nutrition in oncology: the case of micronutrients (review). Oncol Rep., 2010;24(4):815–828.
- 20. Arends et al. ESPEN expert group recommendations for action against cancer-related malnutrition. Clin Nutr., 2017;36(5):1187–1196.
- 21. van de Rest et al. Effect of fish oil on cognitive performance in older subjects: a randomized, controlled trial. Neurology, 2008; 71(6):430–438.
- 22. Janssen et al. Long-chain polyunsaturated fatty acids (LCPUFA) from genesis to senescence: the influence of LCPUFA on neural development, aging and neurodegeneration. Prog Lipid Res., 2014;53:1–17.

Disclaimer:

dsm-firmenich has used diligent care to ensure that the information provided herein is accurate and up-to-date, however, dsm-firmenich makes no representation or warranty, either expressly or implied, of the accuracy, reliability, or completeness thereof.

The information provided herein contains scientific and product information for business to business use and does not constitute or provide scientific or medical advice, diagnosis, or recommendation for treatment.

- Johnson et al. Cognitive findings of an exploratory trial of docosahexaenoic acid and lutein supplementation in older women. Nutr Neurosci., 2008;11(2):75–83.
- Douaud et al. Preventing Alzheimer's disease-related gray matter atrophy by b-vitamin treatment. PNAS, 2013;110(23):9523-9528.
- 25. Bowman et al. Nutrient biomarker patterns, cognitive function and MRI measures of brain aging. Neurology, 2012;78(4):241–249.
- Walker et al. Oral folic acid and vitamin B-12 supplementation to prevent cognitive decline in community-dwelling older adults with depressive symptoms – the Beyond Aging Project: a randomized controlled trial. Am J Clin Nutr., 2021;95(1):194–203.
- Smith et al. Homocysteine-lowering by B vitamins slows the rate of accelerated brain atrophy in mild cognitive impairment: a randomized controlled trial. PLoS One, 2010;5(9):e12244.
- 28. Landel et al. Vitamin D, cognition and Alzheimer's Disease: the therapeutic benefit is in the D-tails. J Alzheimer's Dis., 2016;53(2):419–444.
- 29. Lynn MU et al. Vitamin E and neurodegeneration. Neurol Dis., 2015;84:78-83.
- 30. Gombart et al. A review of micronutrients and immune system-working in harmony to reduce the risk of infection. Nutrients, 2020;12(1):236.
- 31. Mackay. Feeding the foot: Nutrition and diabetic foot ulcer. Wound care Canada, 2020;18:40-46.
- 32. National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel & Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Clinical Practice
- Campos et al. Assessment and nutritional aspects of wound healing. Curr. Opin. Clin. Nutr. Metab. Care. 2008;11(3):281–288.
- 34. Arribas-Lopez et al. The Effect of Amino Acids on Wound Healing: A Systematic Review and Meta-Analysis on Arginine and Glutamine. Nutrients, 2021;13(8):2498.
- 35. Pereira et al. Leucine supplementation accelerates connective tissue repair of injured tibialis anterior muscle. Nutrients, 2014;6(10):3981-4001.
- 36. Momen-Heravi et al. The effects of zinc supplementation on wound healing and metabolic status in patients with diabetic foot ulcer: A randomized, double-blind, placebo-controlled trial. Wound Repair Regen., 2017;25(3):512-520.
- Williams et al. Effect of a specialized amino acid mixture on human collagen deposition. Ann. Surg. 2002;236(3):369–374.
- 38. Huang et al. The role of selenium in inflammation and immunity: from molecular mechanisms to therapeutic opportunities. Antioxid. Redox Signal., 2012;16(7):705-743.
- 39. Razzaghi et al. Magnesium supplementation and the effects on wound healing and metabolic status in patients with diabetic foot ulcer: a randomized, double-blind, placebo-controlled trial. Biol Trace Elem Res., 2018;181(2):207-215.
- 40. MacKay & Miller. Nutritional support for wound healing. Altern. Med. Rev., 2013;8(4):359–377.
- 41. Arnold & Barbul. Nutrition and wound healing. Plast. Reconstr. Surg., 2006;117(7 suppl):42s-58s.
- 42. Charoenngam & Holick. Immunologic Effects of Vitamin D on Human Health and Disease. Nutrients, 2020;12(7):2097.
- 43. Razzaghi et al. The effects of vitamin D supplementation on wound healing and metabolic status in patients with diabetic foot ulcer: A randomized, double-blind, placebo-controlled trial. J. Diabetes Complications, 2017;31(4):766-772.
- 44. Hobson. Vitamin E and wound healing: an evidence-based review. Int Wound J., 2016;13(3):331-335.
- 45. Afzali et al. The effects of magnesium and vitamin E co-supplementation on wound healing and metabolic status in patients with diabetic foot ulcer: A randomized, double-blind, placebo controlled trial. Wound Repair Regen. 2019:27(3):277-284.

Country or region-specific information should be considered when labeling or advertising to final consumer. In no event shall dsm-firmenich be liable for any damages arising from or reliance upon, or use of, any information provided herein. The content of this document is subject to change without further notice.

Please contact your local dsm-firmenich representative for further details. All trademarks listed in this document are either (registered) trademarks of, or trademarks Licensed by, the dsm-firmenich group of companies in the Netherlands and/or other countries, unless explicitly stated otherwise.

